FONTFONT OPENTYPE®

FONTFONT INFO GUIDE FOR

FF Scuba Thin Italic

OT | Pro

SECTIONS

A | Introduction to OpenType®

B | Font and Designer Information

C | Supported Layout Features

D | Language Support

E | Type Specimens

SECTION A

INTRODUCTION TO OPENTYPE®

WHAT IS OPENTYPE?

OpenType® is a cross-platform font file format developed jointly by Adobe and Microsoft. The two main benefits of the OpenType format are its cross-platform compatibility (the same font file works on Macintosh and Windows computers), and its ability to support widely expanded character sets and layout features, which provide rich linguistic support and advanced typographic control.

OpenType fonts can be installed and used alongside PostScript® Type 1 and TrueType fonts.

The range of supported layout features may differ in the various FontFont OpenType packages, therefore each OpenType package will be accompanied by this FF Info Guide listing the layout features supported by this specific font package.

You'll find a glossary of all available OpenType layout features in Section B of the general FF OpenType User Guide.

Please see the FontFont OpenType® User Guide at http://www.fontfont.com/opentype

©FSI, 2005 All rights reserved.
All information in this document is provided "AS IS" without warranty of any kind, either expressed or implied, and is subject to change without notice.

All trademarks mentioned in this document are the trademarks or registered trademarks of their respective holders.

You may reproduce and distribute this document as long as you do not remove FSI's copyright information and do not make any changes in the document.

Handgloves

ABOUT FF SCUBA THIN ITALIC

FF Scuba is a readable contemporary sans, with a distinctive character. The initial concept for the family emerged during designer Felix Braden's search for an offline companion for the Verdana typeface. After he couldn't find the exact tone that he was looking for, he set off on the development of a new series of types.

In text, resulting FF Scuba's feeling is a bit tighter and more condensed than Verdana, which is exactly what one would expect from a typeface tooled to the needs of print-media, rather than on-screen reading only. Still, at small sizes, FF Scuba blends well with Verdana. In larger sizes, its particular originality is revealed. The design combines constructed letters, like an almost rectangular o, with dynamic strokes and other written elements. This mix giving the typeface a lively touch, while still keeping it true to its technical roots. The family's eight weights—each with companion Italics—range from Thin to Black. All of the fonts work quite well for body copy. The Pro versions support our Latin Extended character set, and each font contains four figure styles, too.

ABOUT FELIX BRADEN

Felix Braden studied communication design at the Fachhochschule Trier with Prof. Andreas Hogan and worked as assistant of Jens Gehlhaar at Gaga Design. He was one of the founders of Glashaus-Design and has worked as Art Director at MWK and freelance type designer in Cologne since 2003. In 2000, he founded the free font foundry Floodfonts and designed numerous typefaces which are available as webfonts via Typekit. His commercial fonts are distributed by Fountain, Sweden (Capri, Sadness, Grimoire), URW++ (Supernormale) and Volcanotype (Bikini).

24877 | 2012_03_07_10_11_17_02

SECTION C

SUPPORTED LAYOUT FEATURES

FONTFONT OPENTYPE®

		EXAMPLES
fi	STANDARD LIGATURES	flfi ▶ flfi
f	HISTORICAL FORMS	hist ▶ hift
[S]	CASE-SENSITIVE FORMS	(H-o) ▶ H-O
I⇄I	CAPITAL SPACING	HOH ▶ HOH
13	LINING FIGURES	167 ▶ 167 167 ▶ 167
|1|3|	PROPORTIONAL FIGURES	167 ▶ 167 167 ▶ 167
|1|3|	TABULAR FIGURES	167 ▶ 167 167 ▶ 167
1/4	FRACTIONS	2 5/16 ▶ 2 5/16

FF Scuba Thin Italic

		EXAMPLES
7/	NUMERATORS	123/ ▶ 123/
/7	DENOMINATORS	/123 ▶ /123
1ª	ORDINALS	1a20 ▶ $1^{a}2^{0}$
H_2O	SCIENTIFIC INFERIORS	CO2 ▶ CO_2
F^2	SUPERSCRIPT	m3 ▶ m^3
N_2	SUBSCRIPT	N2 ▶ N_2
Jjj	ACCESS ALL ALTERNATES	1 ▶ $111_{1}1^{1}$
02	STYLISTIC SET 2	I ▶ I

	EXAMPLES
STYLISTIC SET 3	*a* ▶ *a*
STYLISTIC SET 4	*hist* ▶ *hift*
LOCALIZED FORMS	*Ș ș Ț ț* ▶ *Ș ș Ț ț*

SECTION D

LANGUAGE SUPPORT

SUPPORTED CODE PAGES STANDARD

STD

MACOS

MACOS ICELANDIC
MACOS ROMAN

IBM

IBM-37 UNITED STATES - EBCDIC (IBM-28709)
IBM-273 GERMANY - EBCDIC
IBM-277 DENMARK, NORWAY - EBCDIC
IBM-278 FINLAND, SWEDEN - EBCDIC
IBM-280 ITALY - EBCDIC
IBM-282
IBM-284 SPAIN, LATIN AMERICA - EBCDIC
IBM-285 UNITED KINGDOM - EBCDIC
IBM-297 FRANCE - EBCDIC
IBM-500 INTERNATIONAL - EBCDIC
IBM-871 ICELAND - EBCDIC
IBM-1047 OPEN SYSTEMS - EBCDIC

WINDOWS

MS WINDOWS 1252 LATIN 1

ISO

ISO 8859- 1 W EU LATIN 1
ISO 8859-15 WEST EUROPE LATIN 9

ADDITIONAL SUPPORTED CODE PAGES PRO

PRO

MACOS

MACOS CENTRAL EUROPE
MACOS CROATIAN
MACOS ROMANIAN
MACOS TURKISH

IBM

IBM-921 BALTIC
IBM-1112 BALTIC - EBCDIC

WINDOWS

MS WINDOWS 1250 EASTERN EUROPEAN
MS WINDOWS 1254 TURKISH
MS WINDOWS 1257 BALTIC

ISO

ISO 8859- 2 C EU LATIN 2
ISO 8859- 3 TU, MALT, GAL, ESP LATIN 3
ISO 8859- 4 BALTIC LATIN 6
ISO 8859- 9 W EU+TURKISH LATIN 5
ISO 8859-10 SCANDINAVIAN LATIN 6
ISO 8859-13 BALTIC LATIN 7
ISO 8859-16 SOUTHEAST EUROPE LATIN 10

SUPPORTED LANGUAGES STANDARD

STD

Afrikaans
Albanian
Amharic (ethiopic) [Romanization system BGN/PCGN 1967]
Arvanitika (latin)
Asturian
Baraba Tatar
Bats (latin)
Bislama
Breton
Burmese (burmese) [Romanization; BGN/PCGN 1970]
Catalan
Chamorro
Danish
Dutch
English
Estonian
Faeroese
Finnish
Franco-Provencal
French
Frisian
Frisian, East
Frisian, North
Frisian, West
Friulian
Galician
German
Greek (greek) [Romanization; BGN/PCGN 1962]
Greenlandic
Icelandic
Indonesian
Interlingua
Irish
Italian
Japanese (sino-japanese) [Romanization; Kunrei]
Karaim (latin)
Kazan Tatar (latin)
Kurdish (latin)
Kyrgyz (cyrillic) [Romanization; BGN/PCGN 1979]
Ladin
Laotian (laotian) [Romanization; National]
Low German
Luxembourgian
Malagasy
Malay (latin)
Manx Gaelic
Norwegian, Bokmål
Norwegian, Nynorsk
Occitan
Pilipino (Tagalog)
Portuguese
Rhaeto-Romance
Romansch
Russian (cyrillic) [Romanization; BGN/PCGN 1947]
Sami, Southern
Sami, Ume
Scottish Gaelic
Somali
Sotho, Northern
Sotho, Southern
Spanish
Swedish
Tahitian
Tsakhur (latin)
Tsonga
Tswana
Turkmen (cyrillic) [Romanization; BGN/PCGN 1979]
Ukrainian (cyrillic) [Romanization; National, 1993]
Walloon
Xhosa
Yapese
Yiddish [Romanization]
Zulu

ADDITIONAL SUPPORTED LANGUAGES PRO

PRO

Älvdalska
Amharic (ethiopic) [Romanization; UN 1967]
Aragonese
Arumanian
Azerbaijani (latin)
Basque
Belarusian (latin)
Bosnian (latin)
Bulgarian (cyrillic) [Romanization; BGN/PCGN 1952]
Chichewa
Cook Islands Maori
Crimean Tatar (latin)
Croatian
Czech
Esperanto
Gagauz (latin)
Greenlandic (pre-1973)
Hawaiian
Hungarian
Istro-Romanian
Japanese (sino-japanese) [Romanization; Modified Hepburn]
Kashubian
Kazakh (cyrillic) [Romanization; BGN/PCGN 1979]
Khmer (khmer) [Romanization; UN 1972]
Korean (hangul) [Romanization; 1939 & 1984]
Kurmanji
Ladino (latin)
Latin
Latvian
Lithuanian
Macedonian (cyrillic) [Romanization; UN 1977]
Maltese
Maori
Marshallese
Moldavian (latin)
Mongolian (cyrillic) [Romanization; BGN/PCGN 1964]
Polish
Portunhol
Romani (latin)
Romanian
Russian (cyrillic) [Romanization; Russian Academy of Sciences system]
Russian (cyrillic) [Romanization; UN 1987, National]
Sami, Inari
Sami, Lule
Sami, Northern
Samoan
Sardinian
Serbian (latin)
Slovak
Slovenian
Sorbian, Lower
Sorbian, Upper
Tajik (cyrillic) [Romanization; BGN/PCGN 1994]
Tongan
Turkish
Ubykh
Uzbek (cyrillic) [Romanization; BGN/PCGN 1979]
Vårmhusmål
Vepsian
Wallisian
Welsh
Wolof

Supported Unicode Ranges

Title	Number of Characters STD	Number of Characters PRO	Examples
Basic Latin	97	97	! " # … | } ~
Latin-1 Supplement	96	96	¡ ¢ £ … ý þ ÿ
Latin Extended-A	13	128	Ā ā Ă … Ž ž ſ
Latin Extended-B	1	13	Ə ƒ Ǻ … Ţ ţ ȷ
IPA Extensions		1	ə
Spacing Modifier Letters	10	10	‘ ’ ^ … ˛ ˜ ˝
Combining Diacritical Marks	17	17	` ´ … ^ ¸ ˛ ¯
Greek and Coptic	4	4	Δ Ω µ π
Latin Extended Additional	1	9	Ẁ ẁ Ẃ … ß Ỳ ỳ
General Punctuation	19	19	– — ‘ … ‹ › /
Superscripts and Subscripts	17	17	0 4 5 … 7 8 9
Currency Symbols	1	1	€
Letterlike Symbols	2	2	™ Ω
Number Forms	17	17	1/7 1/9 1/10 … 7/8 1/ 0/3

Title	Number of Characters STD	PRO	Examples
Mathematical Operators	14	14	∂ ∆ ∏ … ≤ ≥ ·
Geometric Shapes	1	1	◊
Alphabetic Presentation Forms	2	2	ﬁ ﬂ
Arabic Presentation Forms-B	1	1	

FF Scuba Thin Italic

Shag pile i13

AaBbCcDdEeFfGgHhIiJjKkLlM

abcdefghijklmnopqrstuvwxyz 0123456789

ABCDEFGHIJKLMNOPQRSTUVWXYZ

FF Scuba Thin Italic 14/16 pt

Sempre domenica prenderà vita una giornata Gut getarnt im Neptungras steht ein Kuckuckslipp. Serán, a juicio de los científicos, tres épocas Onks tää vika kysymys. Hän on

FF Scuba Thin Italic 12/14 pt

Sempre domenica prenderà vita una giornata Gut getarnt im Neptungras steht ein Kuckuckslipp. Serán, a juicio de los científicos, tres épocas Onks tää vika kysymys. Hän on työskennellyt Il y aurait bien de choses à dire là-

FF Scuba Thin Italic 10/12 pt

Sempre domenica prenderà vita una giornata Gut getarnt im Neptungras steht ein Kuckuckslipp. Serán, a juicio de los científicos, tres épocas Onks tää vika kysymys. Hän on työskennellyt Il y aurait bien de choses à dire là-dessus. Several tenors sing in culturally void display. Eigentlich wollen die Leute nur die Sonne

FF Scuba Thin Italic 8/10 pt

Sempre domenica prenderà vita una giornata Gut getarnt im Neptungras steht ein Kuckuckslipp. Serán, a juicio de los científicos, tres épocas Onks tää vika kysymys. Hän on työskennellyt Il y aurait bien de choses à dire là-dessus. Several tenors sing in culturally void display. Eigentlich wollen die Leute nur die Sonne genießen. Ayer, todavía en pleno echazo, celebraban su aniversario