FONTFONT OPENTYPE®



FONTFONT INFO GUIDE FOR

FF Good Headline Bold

OT | Pro

SECTIONS

A | Introduction to OpenType®

B | Font and Designer Information

C | Supported Layout Features

D | Language Support

E | Type Specimens

SECTION A

INTRODUCTION TO OPENTYPE®

WHAT IS OPENTYPE?

OpenType® is a cross-platform font file format developed jointly by Adobe and Microsoft. The two main benefits of the OpenType format are its cross-platform compatibility (the same font file works on Macintosh and Windows computers), and its ability to support widely expanded character sets and layout features, which provide rich linguistic support and advanced typographic control.

OpenType fonts can be installed and used alongside PostScript® Type 1 and TrueType fonts.

The range of supported layout features may differ in the various FontFont OpenType packages, therefore each OpenType package will be accompanied by this FF Info Guide listing the layout features supported by this specific font package.

You'll find a glossary of all available OpenType layout features in Section B of the general FF OpenType User Guide.

Please see the FontFont OpenType® User Guide at http://www.fontfont.com/opentype

©FSI, 2005 All rights reserved.
All information in this document is provided "AS IS" without warranty of any kind, either expressed or implied, and is subject to change without notice.

All trademarks mentioned in this document are the trademarks or registered trademarks of their respective holders.

You may reproduce and distribute this document as long as you do not remove FSI's copyright information and do not make any changes in the document.

Handgloves

ABOUT FF GOOD HEADLINE BOLD

At the beginning, the task was to design a cold, informal family for a news weekly: very straight and legible, but still unique if that's possible at all. After a few months of work on this project, our team got another, even more important redesign project, the computer magazine Komputer Swiat. The typeface was almost ready, 49 styles were there, why not try it here? Lots of columns combined with the Polish language ... and it worked! Later on, another project was the Russian version of OK magazine with a lot of pictures and short stories about celebrities. I was asked to design a Cyrillic typeface for this magazine, I tried and it worked as well. The news weekly is still waiting for its redesign, but after another period of hard work, Italics and a Headline version complete the family now.

ABOUT LUKASZ DZIEDZIC

Lukasz Dziedzic was born 1967 in Warsaw. Rather than to finish high school, he worked as a sound technician, actor, carpenter helper rebuilding 13th-century churches, singer/bass guitarist and software developer at the Polish patent office. During the first free Polish elections of 1989, he briefly worked as a newsboy for Gazeta Wyborcza, the newly-launched, first independent daily newspaper in the country. A year later, he joined the design department of Gazeta Wyborcza and spent seven years there, co-creating the layouts of the main newspaper and its weekly companion magazine, for which he drew his first typeface. He later worked for several other publishing houses in Warsaw, designing newspapers and magazines. At the same time, Lukasz drew over a dozen typeface families ranging from large Latin and Cyrillic text families to single display styles.

17494 | 2010_09_23_13_09_31_03

SECTION C

SUPPORTED LAYOUT FEATURES

FONTFONT OPENTYPE®

		EXAMPLES
fi	STANDARD LIGATURES	ffffiffl ▶ ffffiffl
f	HISTORICAL FORMS	hist ▶ hift
aA	SMALL CAPITALS	Small ▶ SMALL
AA	SMALL CAPITALS FROM CAPITALS	CAPS ▶ CAPS
[S]	CASE-SENSITIVE FORMS	(H-o) ▶ (H-O)
I⇄I	CAPITAL SPACING	HOH ▶ HOH
13	OLDSTYLE FIGURES	167 ▶ 167 167 ▶ 167
13	LINING FIGURES	167 ▶ 167 167 ▶ 167

	EXAMPLES
PROPORTIONAL FIGURES	167 ▸ 167 167 ▸ 167
TABULAR FIGURES	167 ▸ 167 167 ▸ 167
FRACTIONS	2 5/16 ▸ $2\frac{5}{16}$
NUMERATORS	123/ ▸ $^{123}/$
DENOMINATORS	/123 ▸ $/_{123}$
ORDINALS	1a2o ▸ $1^{a}2^{o}$
SCIENTIFIC INFERIORS	CO2 ▸ CO_2
SUPERSCRIPT	m3 ▸ m^3

FF Good Headline Bold

	EXAMPLES
SUBSCRIPT	N2 ► N_2
ACCESS ALL ALTERNATES	1 ► 111_{11}^{1}
STYLISTIC ALTERNATES	“Hi!” ► “Hi!”
STYLISTIC SET 1	“Hi!” ► “Hi!”
STYLISTIC SET 3	б ► б
STYLISTIC SET 4	hist ► hiſt
LOCALIZED FORMS	Ş ş Ţ ţ ► Ş ş Ţ ţ

FF Good Headline Bold

SECTION D

LANGUAGE SUPPORT

SUPPORTED CODE PAGES STANDARD

STD

MACOS

MACOS ICELANDIC
MACOS ROMAN

IBM

IBM-37 UNITED STATES - EBCDIC (IBM-28709)
IBM-273 GERMANY - EBCDIC
IBM-277 DENMARK, NORWAY - EBCDIC
IBM-278 FINLAND, SWEDEN - EBCDIC
IBM-280 ITALY - EBCDIC
IBM-282
IBM-284 SPAIN, LATIN AMERICA - EBCDIC
IBM-285 UNITED KINGDOM - EBCDIC
IBM-297 FRANCE - EBCDIC
IBM-500 INTERNATIONAL - EBCDIC
IBM-871 ICELAND - EBCDIC
IBM-1047 OPEN SYSTEMS - EBCDIC

WINDOWS

MS WINDOWS 1252 LATIN 1

ISO

ISO 8859- 1 W EU LATIN 1
ISO 8859-15 WEST EUROPE LATIN 9

ADDITIONAL SUPPORTED CODE PAGES PRO

PRO

MACOS

MACOS CENTRAL EUROPE
MACOS CROATIAN
MACOS CYRILLIC
MACOS ROMANIAN
MACOS TURKISH
MACOS UKRAINIAN

IBM

IBM-921 BALTIC
IBM-1025 CYRILLIC - EBCDIC
IBM-1112 BALTIC - EBCDIC
IBM-1123
IBM-1124

WINDOWS

MS WINDOWS 1250 EASTERN EUROPEAN
MS WINDOWS 1251 CYRILLIC
MS WINDOWS 1254 TURKISH
MS WINDOWS 1257 BALTIC

ISO

ISO 8859- 2 C EU LATIN 2
ISO 8859- 3 TU, MALT, GAL, ESP LATIN 3
ISO 8859- 4 BALTIC LATIN 6
ISO 8859- 5 CYRILLIC
ISO 8859- 9 W EU+TURKISH LATIN 5
ISO 8859-10 SCANDINAVIAN LATIN 6
ISO 8859-13 BALTIC LATIN 7
ISO 8859-16 SOUTHEAST EUROPE LATIN 10

SUPPORTED LANGUAGES STANDARD

STD

Afrikaans
Albanian
Amharic (ethiopic) [Romanization system BGN/PCGN 1967]
Arvanitika (latin)
Asturian
Baraba Tatar
Bats (Latin)
Bislama
Bokmål Norwegian
Breton
Burmese (burmese) [Romanization; BGN/PCGN 1970]
Catalan
Chamorro
Danish
Dutch
East Frisian
English
Estonian
Faeroese
Finnish
Franco-Provencal
French
Frisian
Friulian
Galician
German
Greek (greek) [Romanization; BGN/PCGN 1962]
Greenlandic
Icelandic
Indonesian
Interlingua
Irish
Italian
Japanese (sino-japanese) [Romanization; Kunrei]
Karaim (latin)
Kazan Tatar (latin)
Kurdish (latin)
Kyrgyz (cyrillic) [Romanization; BGN/PCGN 1979]
Ladin
Laotian (laotian) [Romanization; National]
Low German
Luxembourgian
Malagasy
Malay (latin)
Manx Gaelic
North Frisian
Northern Sotho
Nynorsk Norwegian
Occitan
Pilipino (Tagalog)
Portuguese
Rhaeto-Romance
Romansch
Russian (cyrillic) [Romanization; BGN/PCGN 1947]
Scottish Gaelic
Somali
Southern Sami
Southern Sotho
Spanish
Swedish
Tahitian
Tsakhur (latin)
Tsonga
Tswana
Turkmen (cyrillic) [Romanization; BGN/PCGN 1979]
Ukrainian (cyrillic) [Romanization; National, 1993]
Ume Sami
Walloon
West Frisian
Xhosa
Yapese
Yiddish [Romanization]
Zulu

FF Good Headline Bold

ADDITIONAL SUPPORTED LANGUAGES PRO

PRO

Abaza
Adyghe
Älvdalska
Amharic (ethiopic) [Romanization; UN 1967]
Aragonese
Archi
Arumanian
Avar
Azerbaijani (cyrillic)
Azerbaijani (latin)
Balk
Basque
Bosnian (Cyrillic)
Bosnian (Latin)
Botlikh
Budukh
Bulgarian
Bulgarian (cyrillic) [Romanization; BGN/PCGN 1952]
Buryat
Byelorussian (Belarusian cyrillic)
Byelorussian (Belarusian latin)
Chechen (cyrillic)
Chechen (latin)
Chichewa
Cook Islands Maori
Crimean Tatar (latin)
Croatian
Czech
Dargin
Dungan
Erzya
Esperanto
Gagauz (latin)
Godoberi
Greenlandic (pre-1973)
Hawaiian
Hungarian
Inari Sami
Ingush
Istro-Romanian
Japanese (sino-japanese) [Romanization; Modified Hepburn]
Kabardian
Kalmyk
Karachay-Balkar
Karaim (cyrillic)
Kara-Kalpak
Kashubian
Kazakh
Kazakh (cyrillic) [Romanization; BGN/PCGN 1979]
Kazan Tatar (cyrillic)
Khinalug
Khmer (khmer) [Romanization; UN 1972]
Korean (hangul) [Romanization; 1939 & 1984]
Kryts
Kumyk
Kurdish (cyrillic)
Kurmanji
Ladino (latin)
Lak
Latin
Latvian (Lettish)
Lezgi
Lithuanian
Lule Sami
Macedonian
Macedonian (cyrillic) [Romanization; UN 1977]
Maltese
Maori
Marshallese
Moksha
Moldavian (latin)
Mongolian (cyrillic)
Mongolian (cyrillic) [Romanization; BGN/PCGN 1964]
Nanai
Nogay
Northern Sami

Polish
Portunhol
Romani (latin)
Romanian
Russian
Russian (cyrillic) [Romanization; Russian Academy of Sciences system]
Russian (cyrillic) [Romanization; UN 1987, National]
Rusyn
Rutul
Samoan
Sardinian
Serbian (latin)
Slovak
Slovenian
Sorbian Lower
Sorbian Upper
Tabasaran
Tajik
Tajik (cyrillic) [Romanization; BGN/PCGN 1994]
Talysh (cyrillic)
Tatar
Tati
Tongan
Tsakhur (cyrillic)
Turkish
Turkmen
Tuvinian
Ubykh
Udi
Ukrainian
Uzbek
Uzbek (cyrillic) [Romanization; BGN/PCGN 1979]
Vårmhusmål
Vepsian
Wallisian
Welsh
Wolof

Supported Unicode Ranges

Title	Number of Characters STD	PRO	Examples
Basic Latin	97	97	! " # … | } ~
Latin-1 Supplement	96	96	¡ ¢ £ … ý þ ÿ
Latin Extended-A	13	128	Ā ā Ă … Ž ž ſ
Latin Extended-B	1	15	ə ƒ Ƶ … Ţ ţ ȷ
IPA Extensions		1	ə
Spacing Modifier Letters	11	11	‘ ’ ˆ … ˛ ˜ ˝
Combining Diacritical Marks	18	18	` ´ … ˆ ˛ – —
Greek and Coptic	4	4	Δ Ω µ π
Cyrillic		136	È Ë Ђ … ө Ӯ ӯ
Latin Extended Additional		10	Ẁ ẁ Ẃ … ẋ Ỳ ỳ
General Punctuation	21	22	- – — … › ⁈ /
Superscripts and Subscripts	28	28	0 4 5 … = ( )
Currency Symbols	5	5	₣ £ Pts € ₴
Letterlike Symbols	8	8	℅ ℓ № … ™ Ω ℮

Title	Number of Characters STD	PRO	Examples
Number Forms	17	17	⅐ ⅑ ⅒ … ⅞ ⅟ ⅔
Mathematical Operators	15	15	∂ ∆ ∏ … ≤ ≥ ∙
Geometric Shapes	1	1	◊
Supplemental Punctuation	1	1	¿
Alphabetic Presentation Forms	5	5	ﬀ ﬁ ﬂ ﬃ ﬄ

FF Good Headline Bold

Shag pile i13

AaBbCcDdEeFfGgHhIiJjKkLlMmN

abcdefghijklmnopqrstuvwxyz 0123456789

ABCDEFGHIJKLMNOPQRSTUVWXYZ

FF Good Headline Bold 36 pt

ALLEZ LES BLEUS!

FF Good Headline Bold 30 pt

Hier kocht der Chef

FF Good Headline Bold 24 pt

SALAME MILANO

FF Good Headline Bold 18 pt

Quellnymphe

FF Good Headline Bold 14 pt

Paranormal Phenomena

FF Good Headline Bold 12/14 pt

SEMPRE DOMENICA PRENDERÀ VITA una giornata Gut getarnt im Neptungras steht ein Kuckuckslipp. Serán, a juicio de los científicos, tres épocas Onks tää vika kysymys. Hän on työskennellyt Il y aurait bien de choses à dire là-dessus. Several tenors sing in culturally void display. Eigentlich wollen die Leute nur die Sonne