FONTFONT OPENTYPE®



FONTFONT INFO GUIDE FOR

FF Dax Wide Medium Italic

OT | Pro

SECTIONS

A | Introduction to OpenType®

B | Font and Designer Information

C | Supported Layout Features

D | Language Support

E | Type Specimens

SECTION A

INTRODUCTION TO OPENTYPE®

WHAT IS OPENTYPE?

OpenType® is a cross-platform font file format developed jointly by Adobe and Microsoft. The two main benefits of the OpenType format are its cross-platform compatibility (the same font file works on Macintosh and Windows computers), and its ability to support widely expanded character sets and layout features, which provide rich linguistic support and advanced typographic control.

OpenType fonts can be installed and used alongside PostScript® Type 1 and TrueType fonts.

The range of supported layout features may differ in the various FontFont OpenType packages, therefore each OpenType package will be accompanied by this FF Info Guide listing the layout features supported by this specific font package.

You'll find a glossary of all available OpenType layout features in Section B of the general FF OpenType User Guide.

Please see the FontFont OpenType® User Guide at http://www.fontfont.com/opentype

©FSI, 2005 All rights reserved.
All information in this document is provided "AS IS" without warranty of any kind, either expressed or implied, and is subject to change without notice.

All trademarks mentioned in this document are the trademarks or registered trademarks of their respective holders.

You may reproduce and distribute this document as long as you do not remove FSI's copyright information and do not make any changes in the document.

Handgloves

ABOUT FF DAX WIDE MEDIUM ITALIC

Hans Reichel's first design to be published by FSI was FF Dax Condensed (1995) which developed from the idea of combining the clarity of a narrow Futura with a "slightly roman touch" to make a space-saving but very legible typeface of timeless design.

Very characteristic for the typeface are the missing spurs in the d, g, m, n, p, q, r and u. The family quickly grew to include the wider, but still narrow, FF Dax and FF Dax Italic. FSI FontShop International and Hans Reichel are now proud to introduce FF Dax Wide. Less space-saving than its predecessors but still on the slender side. And, in keeping with tradition, available in six weights: Light, Regular, Medium, Bold, Extra Bold and Black.

ABOUT HANS REICHEL

Hans Reichel (born 1949) is a musician/inventor/composer as well as being a type designer. For more than 30 years he's made a name for himself as an accomplished acoustic and electric guitar player. He's also the inventor of the Daxophone, an instrument where thin strips of wood are played with a bow to mimic animal sounds and human voices. More information on his musical endeavors can be found on the web at www.daxo.de.

FF Dax Wide Medium Italic

11014 | 2011_01_19_15_47_33_02

SECTION C

SUPPORTED LAYOUT FEATURES

FONTFONT OPENTYPE®

		EXAMPLES
fi	STANDARD LIGATURES	fifl ▸ fifl
ct	DISCRETIONARY LIGATURES	AJąj ▸ AJąj
ſ	HISTORICAL FORMS	hist ▸ hiſt
aA	SMALL CAPITALS	Small ▸ SMALL
AA	SMALL CAPITALS FROM CAPITALS	SC ▸ SC
[S]	CASE-SENSITIVE FORMS	(H-o) ▸ (H-O)
I⇄I	CAPITAL SPACING	HOH ▸ HOH
13	OLDSTYLE FIGURES	123 ▸ 123 123 ▸ 123

FF Dax Wide Medium Italic

		EXAMPLES
13	LINING FIGURES	$012 ▸ $012
123	PROPORTIONAL FIGURES	123 ▸ 123 123 ▸ 123
123	TABULAR FIGURES	012 ▸ 012
1/4	FRACTIONS	2 5/16 ▸ 2 5/16
7/	NUMERATORS	123/ ▸ 123/
/7	DENOMINATORS	/123 ▸ /123
1ª	ORDINALS	1a2o ▸ 1ª2º
H_2O	SCIENTIFIC INFERIORS	CO2 ▸ CO_2

FF Dax Wide Medium Italic

	EXAMPLES
SUPERSCRIPT	m3 ▶ m^3
SUBSCRIPT	N2 ▶ N_2
ALTERNATE ANNOTATION FORMS	123 ▶ ①②③
ACCESS ALL ALTERNATES	1 ▶ 111₁₁¹
STYLISTIC SET 2	ЛЬДЛ ▶ ЛЬДЛ
LOCALIZED FORMS	SsTt ▶ Ş ş Ţ ţ

FF Dax Wide Medium Italic

SECTION D

LANGUAGE SUPPORT

SUPPORTED CODE PAGES STANDARD

STD

MACOS

MACOS ICELANDIC
MACOS ROMAN

IBM

IBM-37 UNITED STATES - EBCDIC (IBM-28709)
IBM-273 GERMANY - EBCDIC
IBM-277 DENMARK, NORWAY - EBCDIC
IBM-278 FINLAND, SWEDEN - EBCDIC
IBM-280 ITALY - EBCDIC
IBM-282
IBM-284 SPAIN, LATIN AMERICA - EBCDIC
IBM-285 UNITED KINGDOM - EBCDIC
IBM-297 FRANCE - EBCDIC
IBM-500 INTERNATIONAL - EBCDIC
IBM-871 ICELAND - EBCDIC
IBM-1047 OPEN SYSTEMS - EBCDIC

WINDOWS

MS WINDOWS 1252 LATIN 1

ISO

ISO 8859- 1 W EU LATIN 1
ISO 8859-15 WEST EUROPE LATIN 9

ADDITIONAL SUPPORTED CODE PAGES PRO

PRO

MACOS

MACOS CENTRAL EUROPE
MACOS CROATIAN
MACOS CYRILLIC
MACOS ROMANIAN
MACOS TURKISH
MACOS UKRAINIAN

IBM

IBM-921 BALTIC
IBM-1025 CYRILLIC - EBCDIC
IBM-1112 BALTIC - EBCDIC
IBM-1123
IBM-1124

WINDOWS

MS WINDOWS 1250 EASTERN EUROPEAN
MS WINDOWS 1251 CYRILLIC
MS WINDOWS 1254 TURKISH
MS WINDOWS 1257 BALTIC

ISO

ISO 8859- 2 C EU LATIN 2
ISO 8859- 3 TU, MALT, GAL, ESP LATIN 3
ISO 8859- 4 BALTIC LATIN 6
ISO 8859- 5 CYRILLIC
ISO 8859- 9 W EU+TURKISH LATIN 5
ISO 8859-10 SCANDINAVIAN LATIN 6
ISO 8859-13 BALTIC LATIN 7
ISO 8859-16 SOUTHEAST EUROPE LATIN 10

SUPPORTED LANGUAGES STANDARD

STD

Afrikaans
Albanian
Amharic (ethiopic) [Romanization system BGN/PCGN 1967]
Arvanitika (latin)
Asturian
Baraba Tatar
Bats (Latin)
Bislama
Bokmål Norwegian
Breton
Burmese (burmese) [Romanization; BGN/PCGN 1970]
Catalan
Chamorro
Danish
Dutch
East Frisian
English
Estonian
Faeroese
Finnish
Franco-Provencal
French
Frisian
Friulian
Galician
German
Greek (greek) [Romanization; BGN/PCGN 1962]
Greenlandic
Icelandic
Indonesian
Interlingua
Irish
Italian
Japanese (sino-japanese) [Romanization; Kunrei]
Karaim (latin)
Kazan Tatar (latin)
Kurdish (latin)
Kyrgyz (cyrillic) [Romanization; BGN/PCGN 1979]
Ladin
Laotian (laotian) [Romanization; National]
Low German
Luxembourgian
Malagasy
Malay (latin)
Manx Gaelic
North Frisian
Northern Sotho
Nynorsk Norwegian
Occitan
Pilipino (Tagalog)
Portuguese
Rhaeto-Romance
Romansch
Russian (cyrillic) [Romanization; BGN/PCGN 1947]
Scottish Gaelic
Somali
Southern Sami
Southern Sotho
Spanish
Swedish
Tahitian
Tsakhur (latin)
Tsonga
Tswana
Turkmen (cyrillic) [Romanization; BGN/PCGN 1979]
Ukrainian (cyrillic) [Romanization; National, 1993]
Ume Sami
Walloon
West Frisian
Xhosa
Yapese
Yiddish [Romanization]
Zulu

ADDITIONAL SUPPORTED LANGUAGES PRO

PRO

Abaza
Adyghe
Älvdalska
Amharic (ethiopic) [Romanization; UN 1967]
Aragonese
Archi
Arumanian
Avar
Azerbaijani (latin)
Balk
Basque
Bosnian (Cyrillic)
Bosnian (Latin)
Botlikh
Budukh
Bulgarian
Bulgarian (cyrillic) [Romanization; BGN/PCGN 1952]
Buryat
Byelorussian (Belarusian cyrillic)
Byelorussian (Belarusian latin)
Chechen (cyrillic)
Chechen (latin)
Chichewa
Cook Islands Maori
Crimean Tatar (latin)
Croatian
Czech
Dargin
Dungan
Erzya
Esperanto
Gagauz (latin)
Godoberi
Greenlandic (pre-1973)
Hawaiian
Hungarian
Inari Sami
Ingush
Istro-Romanian
Japanese (sino-japanese) [Romanization; Modified Hepburn]
Kabardian
Kalmyk
Karachay-Balkar
Karaim (cyrillic)
Kara-Kalpak
Kashubian
Kazakh
Kazakh (cyrillic) [Romanization; BGN/PCGN 1979]
Kazan Tatar (cyrillic)
Khinalug
Khmer (khmer) [Romanization; UN 1972]
Korean (hangul) [Romanization; 1939 & 1984]
Kryts
Kumyk
Kurdish (cyrillic)
Kurmanji
Ladino (latin)
Lak
Latin
Latvian (Lettish)
Lezgi
Lithuanian
Lule Sami
Macedonian
Macedonian (cyrillic) [Romanization; UN 1977]
Maltese
Maori
Marshallese
Moksha
Moldavian (latin)
Mongolian (cyrillic)
Mongolian (cyrillic) [Romanization; BGN/PCGN 1964]
Nanai
Nogay
Northern Sami
Polish

Portunhol
Romani (latin)
Romanian
Russian
Russian (cyrillic) [Romanization; Russian Academy of Sciences system]
Russian (cyrillic) [Romanization; UN 1987, National]
Rusyn
Rutul
Samoan
Sardinian
Serbian (cyrillic) [Romanization; UN 1977]
Serbian (latin)
Slovak
Slovenian
Sorbian Lower
Sorbian Upper
Tabasaran
Tajik
Tajik (cyrillic) [Romanization; BGN/PCGN 1994]
Tatar
Tati
Tongan
Tsakhur (cyrillic)
Turkish
Turkmen
Tuvinian
Ubykh
Ukrainian
Uzbek
Uzbek (cyrillic) [Romanization; BGN/PCGN 1979]
Vårmhusmål
Vepsian
Wallisian
Welsh
Wolof

Supported Unicode Ranges

Title	Number of Characters STD	Number of Characters PRO	Examples
Basic Latin	97	97	! " # … | } ~
Latin-1 Supplement	96	96	¡ ¢ £ … ý þ ÿ
Latin Extended-A	13	128	Ā ā Ă … Ž ž ſ
Latin Extended-B	1	27	Ə ƒ Ƶ … Ţ ţ ȷ
IPA Extensions		1	ə
Spacing Modifier Letters	11	11	ˊ ˋ ˆ … ˛ ˜ ˝
Combining Diacritical Marks	18	18	̀ ́ … ̂ ̧ ̿
Greek and Coptic	5	5	; Δ Ω µ π
Cyrillic		126	È Ë Ђ … ѳ Ӯ ӯ
Latin Extended Additional		10	Ẁ ẁ Ẃ … ẋ Ỳ ỳ
General Punctuation	19	19	– — ‘ … ‹ › /
Superscripts and Subscripts	28	28	⁰ ⁴ ⁵ … ⁼ ⁽ ⁾
Currency Symbols	2	2	€ ₴
Letterlike Symbols	4	4	№ ℗ ™ Ω

Title	Number of Characters STD	PRO	Examples
Number Forms	17	17	1⁄7 1⁄9 1⁄10 … 7⁄8 1⁄ 0⁄3
Arrows	9	9	← ↑ → … ⇧ ⇨ ⇩
Mathematical Operators	14	14	∂ ∆ ∏ … ≤ ≥ ·
Enclosed Alphanumerics	21	21	① ② ③ … ⑲ ⑳ ⓪
Geometric Shapes	1	1	◇
Alphabetic Presentation Forms	2	2	fi fl

FF Dax Wide Medium Italic

Shag pile i13

AaBbCcDdEeFfGgHhIiJjKkLl

abcdefghijklmnopqrstuvwxyz 0123456789

ABCDEFGHIJKLMNOPQRSTUVWXYZ

FF Dax Wide Medium Italic 14/16 pt

Sempre domenica prenderà vita una giornata Gut getarnt im Neptungras steht ein Kuckuckslipp. Serán, a juicio de los científicos, tres épocas Onks tää vika kysymys. Hän

FF Dax Wide Medium Italic 12/14 pt

Sempre domenica prenderà vita una giornata Gut getarnt im Neptungras steht ein Kuckuckslipp. Serán, a juicio de los científicos, tres épocas Onks tää vika kysymys. Hän on

FF Dax Wide Medium Italic 10/12 pt

Sempre domenica prenderà vita una giornata Gut getarnt im Neptungras steht ein Kuckuckslipp. Serán, a juicio de los científicos, tres épocas Onks tää vika kysymys. Hän on työskennellyt Il y aurait bien de choses à dire là-dessus. Several tenors sing in culturally void display. Eigentlich

FF Dax Wide Medium Italic 8/10 pt

Sempre domenica prenderà vita una giornata Gut getarnt im Neptungras steht ein Kuckuckslipp. Serán, a juicio de los científicos, tres épocas Onks tää vika kysymys. Hän on työskennellyt Il y aurait bien de choses à dire là-dessus. Several tenors sing in culturally void display. Eigentlich wollen die Leute nur die Sonne genießen. Ayer, todavía en